Form Approved OMB NO. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any oenalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO N	OT RETURN YOUR	R FORM TO THE A	BOVE ADDRESS.				
1. REPORT DATE (DD-MM-YYYY) 2. REPO			2. REPORT TYPE		3. DATES COVERED (From - To)		
28-08-2018			Final Report		1-May-2016 - 31-Jan-2017		
4. TITLE AND SUBTITLE					5a. CONTRACT NUMBER		
Final Report: SHORT-TERM INNOVATIVE RESEARCH				W911	W911NF-16-1-0186		
(STIR) PROGRAM: "Synthesizing new functional 2D					5b. GRANT NUMBER		
semiconducting solids"							
				5c. PR	5c. PROGRAM ELEMENT NUMBER		
				61110	611102		
6. AUTHORS				5d. PROJECT NUMBER			
				5e. TA	5e. TASK NUMBER		
				5f. W0	5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAMES AND ADDRESSES					8. PERFORMING ORGANIZATION REPORT		
University of Kentucky					NUMBER		
500 South Limestone Street							
109 Kinkead Hall							
Lexington, KY 40526 -0001							
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS (ES)					10. SPONSOR/MONITOR'S ACRONYM(S) ARO		
U.S. Army Research Office P.O. Box 12211					11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
Research Triangle Park, NC 27709-2211					69060-MS-II.2		
					09000-1013-11.2		
12. DISTRIBUTION AVAILIBILITY STATEMENT							
Approved for public release; distribution is unlimited.							
13. SUPPLEMENTARY NOTES							
The views, opinions and/or findings contained in this report are those of the author(s) and should not contrued as an official Department of the Army position, policy or decision, unless so designated by other documentation.							
14. ABSTRACT							
15. SUBJECT TERMS							
16. SECURITY CLASSIFICATION OF: 17. LIMITATION OF 15. NUMBER 19a. NAME OF RESPONSIBLE PERSON							
	b. ABSTRACT		ABSTRACT	OF PAGES			
UU	UU		UU		19b. TELEPHONE NUMBER		
					859-549-4297		

RPPR Final Report

as of 17-Sep-2018

Agency Code:

Proposal Number: 69060MSII Agreement Number: W911NF-16-1-0186

INVESTIGATOR(S):

Name: Madhusudan Menon super250@u

Email: super250@uky.edu

Phone Number: 85954942970000

Principal: Y

Organization: University of Kentucky

Address: 500 South Limestone Street, Lexington, KY 405260001

Country: USA

DUNS Number: 939017877 EIN: 616033693

Report Date: 30-Apr-2017 Date Received: 28-Aug-2018

Final Report for Period Beginning 01-May-2016 and Ending 31-Jan-2017

Title: SHORT-TERM INNOVATIVE RESEARCH (STIR) PROGRAM: "Synthesizing new functional 2D

semiconducting solids"

Begin Performance Period: 01-May-2016 End Performance Period: 31-Jan-2017

Report Term: 0-Other

Submitted By: Madhusudan Menon Email: super250@uky.edu Phone: (859) 549-42970000

Distribution Statement: 1-Approved for public release; distribution is unlimited.

STEM Degrees: 2 STEM Participants: 0

Major Goals: Experimental synthesis of a

new class of 2D material that is one atom thick and flat following the theoretical guidance as part of the exploratory research.

Accomplishments: We attempted the growth of 2D SiC on polycrystalline copper rolls using our Chemical Vapor Deposition (CVD) reactor. During the growth process, both CH4 and SiH4 gases were introduced. The specific objective was to create a stable isolated single layer of the SiC material. The Raman spectrum of the sample grown on copper roll at 1000 C with combined flows of CH4 and SiH4 were analzsed. The TEM images confirmed the presence of both C and Si. Most interestingly, Raman spectrum showed SiC like features in the peaks. These results are significant and confirm growth of at least regions of 2D SiC structures.

Training Opportunities: Graduate students were involved in the experimental effort performing Raman studies.

Results Dissemination: Nothing to Report

Honors and Awards: Nothing to Report

Protocol Activity Status:

Technology Transfer: Nothing to Report

PARTICIPANTS:

Participant Type: Faculty

Participant: Mahendra Sunkara Prof

Person Months Worked: 1.00

Project Contribution: International Collaboration: International Travel:

National Academy Member: N

Other Collaborators:

Funding Support:

RPPR Final Report

as of 17-Sep-2018

Participant Type: Graduate Student (research assistant)

Participant: Rong Zhao

Person Months Worked: 6.00 Funding Support:

Project Contribution: International Collaboration: International Travel:

National Academy Member: N

Other Collaborators:

Participant Type: Graduate Student (research assistant)

Participant: Daniel Jaramillo Person Months Worked: 6.00

Funding Support:

Project Contribution: International Collaboration: International Travel:

National Academy Member: N

Other Collaborators:

ARTICLES:

Publication Type: Journal Article Peer Reviewed: Y Publication Status: 5-Submitted

Journal: Physical Review B

Publication Identifier Type: Publication Identifier:

Volume: Issue: First Page #:

Date Submitted: Date Published:

Publication Location:

Article Title: Structural, electronic and mechanical properties of Si2BN under uniaxial strain: an ab-initio study'

Authors: Z. G. Fthenakis and M. Menon

Keywords: nanomechanics, molecular dynamics, first principles calculations

Abstract: Si2BN has been recently predicted theoretically as a new entirely planar 2-dimensional metallic material which is stable even at T> 1000 K. It was also found that it is metallic, with few states at the Fermi level and similar electronic properties at the Fermi level as silicene. In the present work we study its structural, electronic and mechanical properties under tensile strain till the fracture limit and compare them to the corresponding properties for graphene. According to our findings, the metallic character of Si2BN is enhanced as a function of strain, since strain introduces several conduction states into the valence band. Study of its mechanical properties reveals Si2BN to be anisotropic, while exhibiting large values of Young's modulus. Furthermore, structurally it is found to be very robust and comparable to graphene.

Distribution Statement: 1-Approved for public release; distribution is unlimited.

Acknowledged Federal Support: Y



FIGURE 1. CVD system used for growth of 2D SiC

We have attempted growth of 2D SiC on polycrystalline copper foils using our Chemical Vapor Deposition (CVD) reactor as shown in Fig. 1. During the growth process, both CH₄ and SiH₄ gasses were introduced after annealing the copper substrate in a H₂/Ar flow at 1000 ⁰C. However, due to safety reasons and to facilitate slow growth rate, we have used very dilute SiH₄ (2 mol. %) in hydrogen. This imposed the restriction of using low concentrations of methane. Our preliminary results showed formation of graphene at ultra-low concentration of methane (<0.5 sccm compared to 20 sccm typically used for graphene synthesis). Since carbon solubility in copper is extremely low compared to that of Si, we maintained SiH₄ throughout the cooling process even after the CH₄ flow was turned off. Fig. 2 shows (a) low magnification TEM image (b) high magnification TEM image (c) EDX spectrum (d) Raman spectrum of the sample grown on copper foil at 1000 ⁰C with combined flows of CH₄ and SiH₄. TEM images confirm the presence of layered structure while EDX confirms presence of both C and Si. Most interestingly, Raman spectrum shows SiC like feature (~860 cm⁻¹) in addition to typical D, G, and 2D peaks characteristic to graphene. These initial results are encouraging and confirms growth of at least regions of 2D SiC structures. We are planning to perform more in-depth characterization of the material and to reproduce the results.




FIGURE 2. Characterization results from preliminary 2D SiC synthesis experiments: (a) low magnification TEM image (b) high magnification TEM image (c) EDX spectrum (d) Raman spectra for samples with and without SiH₄ showing SiC like peak in addition to graphene peaks when SiH₄ is present.




FIGURE 3. Raman spectrum for a samples synthesized with CH₄ and SiH₄ showing additional peak between the D and G peaks of graphene.

Under varying conditions for CH₄ and SiH₄ residency times during the reduction, growth, and cooling processes we synthesized 2D materials which shows an additional Raman peak between D and G bands of graphene as shown in Fig. 3. Currently we are trying to understand the origin of this peak with additional characterizations.